



CKM Product

CPVC PIPES & FITTINGS UPVC PIPES & FITTINGS AGRICULTURE PIPES & FITTINGS



2 0 1 9 PRICE LIST















C-PVC PLUMBING PIPES

cPVC Pipes as per ASTM D-2846 SDR 11


	SIZE		PACKAGING	PRICE
	INCH	MM	3MTR	PER PC
To the second se	3/4	20	60	330.00
	1	25	40	515.00
500	1 1/4	32	30	800.00
	1 1/2	40	20	1150.00
	2	50	10	1900.00

cPVC Pipes as per ASTM D-2846 SDR 13.5

	SIZE		PACKAGING	PRICE
	INCH	MM	3MTR	PER PC
Fore Of the Party	3/4	20	60	295.00
	1	25	40	460.00
Total Office of the Control of the C	1 1/4	32	30	660.00
	1 1/2	40	20	975.00
	2	50	10	1600.00

C-PVC PLUMBING FITTINGS


cPVC Fitting as per ASTM D-2846



COUPLER						
	S INCH	IZE MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC	
	3/4	20	80	1600	9,65	
	1	25	60	900	16.90	
	1 1/4	32	40	480	32.00	
	1 1/2	40	25	300	65.00	
	2	50	15	150	135.00	



UN	1101			
S	ZE	PACKAGING	MASTER	PRICE
INCH	MM	PER PACKET	PACKAGING	PER PC
3/4	20	30	360	68.00
1	25	30	300	99.00
1 1/4	32	20	220	118.00
1 1/2	40	15	150	215.00
2	50	10	120	385.00



FEMALE THRE	ADED	ADA	APTOR	(PLAS	TIC)
	SIZ INCH	ZE MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC
		20	60	1200	21.25
	3/4				
	1	25	50	700	31.50
	1 1/4	32	30	390	79.00
	1 1/2	40	20	260	106.00
	2	50	15	180	168.00
	3/4x1/2	20x15	100	1200	14.00



C-PVC PLUMBING FITTINGS



SOCKET TANK NIPPLE							
	SI INCH	ZE MM	PACKAGING PER PACKET	MASTER Packaging	PRICE PER PC		
	3/4	20	40	480	48.00		
	1	25	25	300	75.00		
,	1 1/4	32	20	240	120.00		
	1 1/2	40	15	180	175.00		
	2	50	20	120	275.00		



REDUCING BUSH	SIZI INCH	E MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC
	1x3/4	25X20	100	2000	14.75
	1 1/4x3/4	32X20	75	1200	24.50
	1 1/4x1	32X25	75	1200	20.00
	1 1/2x3/4	40X20	60	720	39.00
	1 1/2x1	40X25	60	720	38.50
	1 1/2x1 1/4	40X32	60	720	26.45
	2x3/4	50X20	35	420	78.35
	2x1	50X25	35	420	78.80
	2x1 1/4	50X32	35	420	81.90
	2x1 1/2	50X40	35	420	69.90



REDUCING ELBOW	SIZE INCH MM		PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC
	1x3/4	25x20	30	360	42
	1 1/4x3/4	32x20	25	300	77
	1 1/4x1	32x25	25	300	70
	1 1/2x3/4	40x20	20	300	110
	1 1/2x1	40x25	20	300	115
	1 1/2x1 1/4	40x32	20	300	110
	2x3/4	50x20	15	240	230
	2x1	50x25	15	240	220
	2x1 1/4	50x32	15	240	185
	2x1 1/2	50x40	15	240	192

C I				
INCH	ZE MM	PACKAG i ng Per Packet	MASTER Packaging	PRICE PER PC
3/4	20	12		170.00
1	25	9		285.00
1 1/4	32	6		520.00
1 1/2	40	3		790.00
2	50	2		1385.00

LONG PLUG						
	SI: INCH	ZE MM	PACKAGING PER PACKET	MASTER Packaging	PRICE PER PC	
	1/2	15	100	2000	7.00	

STEP OVER BEND						
	SI: INCH	ZE MM	PACKAGING PER PACKET	MASTER Packaging	PRICE PER PC	
	3/4	20	20	220	100.00	
	1	25	20	220	140.00	



BRASS INSERT

BRASS FEMALE THREADED ELBOW



S I ZI INCH	E MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC
3/4	20	50	750	75.00
1	25	30	450	250.00
3/4x1/2	20x15	50	750	58.70
3/4x1/2(H)	20x15	50	750	70.00
1x1/2	25x15	30	450	98.00
1x3/4	25x20	30	390	125.00

BRASS FEMALE THREADED TEE



SIZ INCH	E MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC
3/4	20	50	600	110.00
1	25	25	350	200.00
3/4x1/2	20x15	50	650	70.00
3/4x1/2(H)	20x15	50	650	80.00
1x1/2	25x15	30	360	105.00
1x3/4	25x20	20	300	135.00

BRASS MALE THREADED ADAPTOR



E MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC
20	50	800	165.00
25	30	450	220.00
32	20	220	475.00
40	15	180	595.00
50	10	120	1150.00
20x15	50	800	88.00
20x15	50	800	98.00
25x15	40	480	118.00
25x20	30	360	187.00
	20 25 32 40 50 20x15 20x15 25x15	20 50 25 30 32 20 40 15 50 10 20x15 50 20x15 50 25x15 40	20 50 800 25 30 450 32 20 220 40 15 180 50 10 120 20x15 50 800 20x15 50 800 25x15 40 480

BRASS FEMALE THREADED ADAPTOR



INCH	ММ	PER PACKET	PACKAGING	PER PC
3/4	20	50	1100	90.00
1	25	25	400	150.00
1 1/4	32	20	220	480.00
1 1/2	40	15	180	550.00
2	50	10	120	1030.00
3/4x1/2	20x15	50	1100	58.70
3/4x1/2(H)	20x15	50	1100	70.00
1x1/2	25x15	50	600	85.00
1x3/4	25x20	40	480	115.00

MALE THREADED ADAPTOR HEXA TYPE



SIZE INCH MM		PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC	
3/4x1/2	20x15	50	800	115.00	
3/4x1/2(H)	20x15	50	800	152.00	

FEMALE THREADED ADAPTOR HEXA TYPE



SIZ INCH	E MM	PACKAGING PER PACKET		PRICE PER PC
3/4x1/2	20x15	50	1100	120.00
3/4x1/2(H)	20x15	50	1100	155.00

C-PVC SOLVENT CEMENT



QUANTITY	PACKAGING PER BOX	MASTER PACKAGING	PRICE PER PC
50 ML	50	400	105.00
125 ML	24	288	200.00
250 ML	16	128	350.00
500 ML	12	48	600.00
1000 ML	6	24	1050.00

NAIL CLAMP							
S i z Inch	E MM	PACKAGING PER PACKET	MASTER Packaging	PRICE PER PC			
3/4	20	100	2000	5.75			
1	25	100	1800	8.50			
1 1/4	32	100	1600	12.75			
1 1/2	40	100	1400	14.50			
2	50	30	1020	30.00			
	SIZ INCH 3/4 1 1 1/4 1 1/2	SIZE INCH MM 3/4 20 1 25 1 1/4 32 1 1/2 40	SIZE PACKAGING INCH MM PER PACKET	SIZE INCH PACKAGING PER PACKET MASTER PACKAGING 3/4 20 100 2000 1 25 100 1800 1 1/4 32 100 1600 1 1/2 40 100 1400			

uPVC (Unplasticized Poly Vinly Chloride)

Our UPVC Pipe and Fitting are made as per ASTM (American Society for Testing of Materials) standards.

- The Pipes are made as per ASTM D-1785 and fittings are made as per as ASTM D 2467.
- The Pipes are supplied plain in 3 meters and 6 meters length, in SCH 40 and SCH 80 respectively.
- The complete fittings are available in SCH 80.
- The Pipes and fittings are available in 15mm to 50mm (1/2" to 2").

Application:

This System is designed for normal water application and it is an ideal solution for portable water distribution, plumbing and water supply in homes, apartments hotels, hospitals, swimming pools and industrial buildings.

Features:


- Excellent resistance to corrosion and chemical attacks.
- Lightweight.
- Maintenance free & easy to install.
- Simple and leak proof joint.
- Better insulation properties.
- Designed to last for ages.
- Most cost effective.
- Low thermal conductivity.
- UV resistant.
- Service temperature up to 60°C.

Colour: • White



U-PVC PLUMBING PIPES & FITTINGS (USE FOR COLD WATER) U-PVC PLUMBING PIPES

uPVC Pipes SCH-40 as per ASTM D-1785



uPVC Pipes SCH-80 as per ASTM D-1785							
	SIZ INCH	E MM	PACKA 3MTR	AGING 6MTR	PRICE PER MTR.		
Fred	1/2	15	50	30	52.50		
	3/4	20	40	25	73.80		
	1	25	30	20	102.50		
Se ANDOUGH	1 1/4	32	20	15	153.50		
	1 1/2	40	15	10	185.50		
	2	50	10	10	246.50		

U-PVC PLUMBING FITTINGS


uPVC Fitting in SCH 80 as per ASTM D-2467

90° ELBOW							
	SI INCH	IZE MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC		
	1/2	15	50	1500	9.30		
	3/4	20	40	960	12.25		
	1	25	30	600	19.25		
	1 1/4	32	15	360	43.50		
	1 1/2	40	12	216	51.90		
	2	50	6	144	76.25		

COUPLER							
	S INCH	IZE MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC		
	1/2	15	80	1600	6.10		
	3/4	20	60	900	9.25		
	1	25	40	480	14.25		
	1 1/4	32	25	300	25.00		
	1 1/2	40	15	150	33.00		
	2	50	10	100	46.00		



UN	ION			
S INCH	IZE MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC
1/2	15	30	1008	25.00
3/4	20	25	720	38.00
1	25	20	450	51.25
1 1/4	32	15	270	78.00
1 1/2	40	10	180	114.00
2	50	6	126	178.25



FEMALE THREADED ADAPTOR (PLASTIC)							
	SI INCH	IZE MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC		
	1/2	15	100	2400	6.15		
	3/4	20	50	1500	9.10		
	1	25	50	900	15.10		
	1 1/4	32	30	540	25.70		
	1 1/2	40	20	360	34.00		
	2	50	12	360	48.75		



U-PVC PLUMBING PIPES & FITTINGS (USE FOR COLD WATER)

THREADED ELBOW									
	SI: INCH	ZE MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC				
	1/2	15	50	1500	13.00				

LONG PLUG									
	SI	ZE MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC				
The state of the s	1/2	15	100	4200	7.00				

TANK NIPPLE									
8	S I Z INCH	E MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC				
	1/2	15	30	1440	19.75				
	3/4	20	20	960	25.50				
	1	25	15	540	35.50				

SOCKET TANK NIPPLE								
	S I Z INCH	E MM	PACKAGING In Bag	MASTER PACKAGING	PRICE PER PC			
	1/2	15	45	1890	19.25			
	3/4	20	25	1050	25.00			
	1	25	30	720	35.25			

STEP OVER BAND									
	S I Z INCH	E MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC				
	1/2	15	25	750	45,50				
	3/4	20	20	420	59.75				
	1	25	10	240	86.50				
	1 1/4	32	10	120	117.50				
	1 1/2	40	8	96	158.50				
	2	50	5	60	207.00				



BALL VALVE									
	S i z Inch	E MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC				
	1/2	15	12		67.00				
	3/4	20	9		87.50				
	1	25	6		110.00				
	1 1/4	32	3		194.50				
The second second	1 1/2	40	2		228.50				
	2	50	1		375.75				

BALL VALVE LONG HANDLE									
	SIZ INCH	E MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC				
	1/2	15	12		68.00				
	3/4	20	9		88.00				
	1	25	6		110.00				
	1 1/4	32	3		196.00				
	1 1/2	40	2		229.00				
	2	50	1		376.00				

U-PVC SOLVENT CEMENT									
	QUANTITY	PACKAGING PER BOX	MASTER PACKAGING	PRICE PER PC					
Indra .	50 ML	50	400	90.00					
Uharaa .	125 ML	24	288	130.00					
CPVC SOLVENT CEMENT	250 ML	16	128	235.00					
FOR COLD WATER APPLICATION	500 ML	12	48	430.00					
	1000 ML	6	24						

NAIL CLAMP									
T T	S I Z INCH	E MM	PACKAGING PER PACKET	MASTER PACKAGING	PRICE PER PC				
	1/2	15	100	2000	4.50				
TT	3/4	20	100	1800	7.25				
	1	25	100	1600	10.25				
	1 1/4	32	100	1400	12.00				
	1 1/2	40	100	1200	14.00				
	2	50	30	1020	20.00				




U-PVC PLUMBING PIPES & FITTINGS (USE FOR COLD WATER)

BRASS ELBOW									
	S I Z INCH	E MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC				
	1/2	15	50	750	43.50				
	3/4	20	30	450	74.50				
	1	25	20	300	117.00				
	3/4x1/2	20x15	50	750	51.00				
	1x1/2	25x15	30	450	60.50				
	1x3/4	25x20	30	450	83.00				



BRASS MTA									
	S i z Inch	E MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC				
	1/2	15	50	800	60.00				
	3/4	20	30	660	94.50				
	1	20	20	400	140.50				
	1 1/4	32	10	200	365.50				
	1 1/2	40	10	200	445.00				
	3/4x1/2	20x15	50	800	75.00				
	1x1/2	25x15	30	450	86.75				
	1x3/4	25x20	30	450	98,25				









U-PVC PLUMBING PIPES & FITTINGS (USE FOR COLD WATER)

END CAP									
	S i z Inch	E MM	PACKAGING IN PACKET	MASTER PACKAGING	PRICE PER PC				
	1/2	15	100	3600	4.35				
Transmitt .	3/4	20	100	2400	6.75				
	1	25	50	1500	10.25				
	1 1/4	32	40	960	18.30				
	1 1/2	40	30	540	24.75				
	2	50	20	360	38.50				

REDUCER ELBOW									
	S I Z INCH	E MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC				
	3/4x1/2	20x15	50	1200	14.00				
	1x1/2	25x15	30	750	20.50				
	1x3/4	25x20	30	750	22.50				





REDUCER COUPLER										
	SIZ INCH	E MM	PACKAGING IN BAG	MASTER PACKAGING	PRICE PER PC					
	3/4x1/2	20x25	50	1500	9.25					
	1x1/2	25x15	50	1200	13.25					
	1x3/4	25x20	25	900	13.75					
	1 1/4x1	32x25	20	600	23.75					
	1 1/2x1	40x25	20	480	29.50					
	1 1/2x1/4	40x32	20	360	32.50					
	2x1	50x25	20	360	40.00					
	2x1 1/2	50x40	15	360	46.00					






U-PVC RIGID PIPES














- Supplied in protective cartoons & standard packing.
- Prices are subject to change without prior notice.
- All applicable taxes & levies will be changed extra.
- Claims of any damages, shortages shall be filed by purchaser with the transporter.
- Any dispute is subject to Ghaziabad Jurisdiction only.

NEHA TRADING CO.

Ahmedabad / Sahibabad

Email: nehatradingcompany2017@gmail.com

Customer Care No.: 0120-4139783







Joining Instructions

When it comes to uPVC/CPVT and Pressure Pipes, the cold welding process is the ideal choice.



Pipe cutter.

Cutting The uPVC/cPVC Pipe:

Cut the Pipe with instruments like the hand saw with a suitable guide or by a

Preparing The Joint: At 10°-15°, chamfer or de-burr the pipe. With a knife, abrasive paper or file remove the burrs from the inside and outside surfaces of the pipe. Test The dry fit of the joint: In order to insure there is no leaking, test the dry fit by inserting the pipe into the fitting and check the interference. It should ocur at about. 1/3rd to 2/3rd of the socket depth.

Finally, use a clean dry rag to remove the dirt, moisture or grease from the



pipe end and fitting sockets.

Solvent Cement Application:Now apply the cement to the inside of socket and outside of pipe end. The application should be light and uniform. Application should be quick so that it doesn't dry but also ensure that all the joining surface areas of the pipe and fitting are completely covered by the cement. Excessive application of cement in the bell socket must be avoided.



Assembly of the joint: While the cement is still fluid or wet, bottom the male end of the pipe forcefully in the socket. This must be done immediately after the application of the last coast of cement evently, turn the pipe or fitting to 1/4th (but not after the pipe is bottomed). Remove the excess cement at the end of the fitting socket.



Let the cement cure:

It is advisable to not disturb the joint immediately after cementing. The recommended curing time is 12 hours minimum and during that time, do not pressurize the system. The cure time depends on the weather conditions too, so decide as per your discretion.

Applications











